

FORMATO EUROPEO  
PER IL CURRICULUM  
VITAE



INFORMAZIONI PERSONALI

Nome MARZIA CAPRONI

Nazionalità Italiana

ESPERIENZA LAVORATIVA

- Date 01/07/2013  
(da Ottobre 1997-2012)
- Nome e indirizzo del datore di lavoro  
DIRETTORE S.O.S IMMUNOPATOLOGIA CUTANEA E MALATTIE RARE DERMATOLOGICHE  
P.O. PIERO PALAGI ASF –UNIVERSITÀ DI FIRENZE  
I LIVELLO DIRIGENZA MEDICA  
U O Dermatologia I -Azienda Sanitaria Firenze  
Responsabile Prof. Nicola Pimpinelli , Dipartimento di Chirurgia e Medicina  
Traslazionale , Università degli Studi di Firenze
- Tipo di azienda o settore  
ASF Firenze
- Tipo di impiego  
Direttore SOS ASF
- Principali mansioni e responsabilità  
Ambulatorio di Immunopatologia Cutanea, Ambulatorio malattie Rare Dermatologiche,  
Responsabile Centro Psocare I Clinica Dermatologica, Capillaroscopia, Ambulatorio PUVA,  
attuazione nuovi protocolli terapeutici I Clinica, attività di consulenza per i reumatologi,  
gastroenterologi, immunologi, internisti.

ISTRUZIONE E FORMAZIONE

- 2000 – 2004:
  - 1) Specializzazione in Immunologia e Allergologia clinica, Dipartimento di Medicina Interna, Università degli Studi di Firenze, Direttore Prof. S. Romagnani
- 1994-1997:
  - 2) Dottorato di Ricerca in Dermatologia Sperimentale (X° Ciclo) presso l'Università di Napoli Federico II° tutorato dal Prof. Paolo Fabbri
- Dal 1997:
  - 3) Professore a contratto per la Scuola di Specializzazione in Dermatologia
- 1989-1994:
  - 4) Prima, Medico Frequentatore e, successivamente, Borsista (Prof. Paolo Fabbri presso Dipartimento di Scienze Dermatologiche)
- 1991 al 1994:
  - 5) Corso di Istologia e Istopatologia Cutanea, Busseto (Parma) tenuto dal Prof. Aloï e dal prof. Pippione dell'Università degli studi di Torino
- 1985-1988:
  - 6) Specializzazione in Dermatologia e Venereologia presso l'Università di Pisa
- 1985:
  - 7) Laurea in Medicina e Chirurgia presso l'Università degli Studi di Pisa con il massimo dei voti e la lode

• Principali materie / abilità professionali oggetto dello studio

Immunopatologia Cutanea, Istopatologia cutanea, Malattie Rare Dermatologiche, Metodiche per la diagnostica immunopatologica,

• Qualifica conseguita

Specializzazione in Dermatologia, Specializzazione in Immunologia e Allergologia Clinica, Dottorato di ricerca in Dermatologia Sperimentale, abilitazione a professore di I e II fascia MED/35

• Livello nella classificazione nazionale (se pertinente)

PhD

ABILITAZIONE NAZIONALE PROFESSORE DI I e II FASCIA PER INSEGNAMENTO DERMATOLOGIA

#### CAPACITÀ E COMPETENZE

##### PERSONALI

Acquisite nel corso della vita e della carriera ma non necessariamente riconosciute da certificati e diplomi ufficiali.

##### MADRELINGUA

Italiano

##### ALTRE LINGUE

Inglese

#### CAPACITÀ E COMPETENZE

##### RELAZIONALI

Vivere e lavorare con altre persone, in ambiente multiculturale, occupando posti in cui la comunicazione è importante e in situazioni in cui è essenziale lavorare in squadra (ad es. cultura e sport), ecc.

Le principali competenze relazionali sono state acquisite dalla sottoscritta nell'ambito della formazione professionale. Corsi ASF attinenti. Ha partecipato ad attività sportive di squadra (palla a volo) durante il liceo e l'Università.

#### CAPACITÀ E COMPETENZE

##### ORGANIZZATIVE

Ad es. coordinamento e amministrazione di persone, progetti, bilanci; sul posto di lavoro, in attività di volontariato (ad es. cultura e sport), a casa, ecc.

Ha coordinato per 6 anni il Gruppo Italiano di Immunopatologia cutanea della Società Italiana di Dermatologia organizzando Congressi (6 edizioni tenutesi a Firenze con il patrocinio aziendale), incontri e progetti di ricerca alcuni dei quali sono stati finanziati a livello nazionale (PRIN 2003 e PRIN 2008), regionale e di recente ha ottenuto 1 finanziamento per la ricerca finalizzata dal Ministero dal titolo "New strategies for diagnostic, therapeutic and clinical care in Infection and immunity".. Coordina un proprio gruppo di ricerca e tutte le attività relate (lezioni, tesi di laurea, di specializzazione, seminari congressi nazionali e internazionali). Ha vinto un finanziamento sulla DE dalla fondazione AIC 2014 dal seguente titolo "The development of dermatitis herpetiformis in celiac patients: definition of the specific T cell response against the main exogenous- and auto-antigens involved". Ha partecipato alla stesura e alla realizzazione di 2 progetti finanziati nell'ambito del bando ricerca finalizzata/giovani ricercatori 2009 e 2011-2012

#### CAPACITÀ E COMPETENZE

##### TECNICHE

Con computer, attrezzature specifiche, macchinari, ecc.

UTILIZZA IL PC, MICROSCOPIO A FLUORESCENZA, MICROSCOPIO OTTICO, MICROSCOPIO CONFOCALE, CAPILLAROSCOPIO, ATTIVITÀ DERMOCIRURGICHE (ESCISIONI, BIOPSIE, DEC, LASER)

#### ULTERIORI INFORMAZIONI

E' autore di circa 220 lavori in extenso, di cui oltre 167 dotati di impact factor (v.a.)

Ha partecipato a circa 230 congressi Nazionali e Internazionali, spesso come relatore o moderatore, ha tenuto su invito diversi corsi di aggiornamento per le società dermatologiche (EADV, SIDEMAST, ADOI, AIDA, ) immunologiche, gastroenterologiche.

## Elenco delle Pubblicazioni *in extenso*

- 228) Gisoni P, Cazzaniga S, Chimenti S, Maccarone M, Picardo M, Girolomoni G, Naldi L; Psocare Study Group. Latent tuberculosis infection in patients with chronic plaque psoriasis: evidence from the Italian Psocare Registry. *Br J Dermatol*. 2015 Jun;172(6):1613-20. doi: 10.1111/bjd.13539. Epub 2015 Mar 17.
- 227) Grossi E, Cazzaniga S, Crotti S, Naldi L, Di Landro A, Ingordo V, Cusano F, Atzori L, Tripodi Cutrì F, Musumeci ML, Pezzarossa E, Bettoli V, **Caproni M**, Bonci A; the GISED Acne Study Group. The constellation of dietary factors in adolescent acne: a semantic connectivity map approach. *J Eur Acad Dermatol Venereol*. 2014 Dec 2. doi: 10.1111/jdv.12878.
- 226) Antiga E, Quaglino P, Pierini I, Volpi W, Lami G, Bianchi B, Del Bianco E, Renzi D, Baroni G, Novelli M, Ponti R, Papini M, Di Lollo S, Calabrò AS, Fabbri P, **Caproni M**. Regulatory T cells as well as IL-10 are reduced in the skin of patients with dermatitis herpetiformis. *J Dermatol Sci*. 2015 Jan;77(1):54-62. doi: 10.1016/j.jdermsci.2014.11.003. Epub 2014 Nov 18.
- 225) Prignano F, Tripo L, Amato L, Bagnoni G, Bartoli L, Battistini S, Bellini M, Brandini L, **Caproni M**, Cardinali C, Castelli A, Cecchi R, Cervadoro G, Dini V, Fimiani M, Eberle O, Fabbri P, Lo Scocco G, Martini P, Marsili F, Mazzatenta C, Niccoli MC, Peccianti C, Pellegrino M, Romanelli M, Sirna R, Taviti F, Volpi V, Pimpinelli N. Tuscany consensus for the diagnosis, treatment and follow-up of moderate-to-severe psoriasis. *G Ital Dermatol Venereol*. 2015 Jan 14.
- 224) Bonciani D, Bonciolini V, Antiga E, Verdelli A, **Caproni M**, Senetta R. A case of rupioid psoriasis exacerbated by systemic glucocorticosteroids. *Int J Dermatol*. 2015 Apr;54(4):e100-2. doi: 10.1111/ijd.12755. Epub 2015 Jan 20.
- 223) **Caproni M**, Antiga E, Volpi W, Verdelli A, Venegoni L, Quaglino P, Fabbri P, Marzano AV. The Treg/Th17 cell ratio is reduced in the skin lesions of patients with pyoderma gangrenosum. *Br J Dermatol*. 2015 Jul;173(1):275-8. doi: 10.1111/bjd.13670. Epub 2015 May 16.
- 222) Filosa A, Verdelli A, Bianchi B, Del Bianco E, Bugatti L, Filosa G, **Caproni M**. Cutaneous vasculitides: histology and immunofluorescence. *G Ital Dermatol Venereol*. 2015 Apr;150(2):183-91. Epub 2015 Mar 17.
- 221) Antiga E, Verdelli A, Bonciani D, Bonciolini V, Quintarelli L, Volpi W, Fabbri P, **Caproni M**. Drug-induced cutaneous vasculitides. *G Ital Dermatol Venereol*. 2015 Apr;150(2):203-10. Epub 2015 Mar 17.
- 220) Fabbri P, Bonciani D, Antiga E, **Caproni M**. Classification and clinical diagnosis of cutaneous vasculitides. *G Ital Dermatol Venereol*. 2015 Apr;150(2):169-81.
- 219) Quaglino P, Fava P, **Caproni M**, Antiga E, De Simone C, Papini M, Parodi A, Novelli M, Osella-Abate S, Ribero S, Sanlorenzo M, Ponti R, Fierro MT, Marzano AV, Savoia P. Phenotypical characterization of circulating cell subsets in pyoderma gangrenosum patients: the experience of the Italian immuno-pathology group. *J Eur Acad Dermatol Venereol*. 2015 Mar 24. doi: 10.1111/jdv.13100.

- 218) Cozzani E, **Caproni M**. Cutaneous vasculitides and the dermatologist: a fundamental part of clinical practice. *G Ital Dermatol Venereol*. 2015 Apr;150(2):163-4.
- 217) Antiga E, Verdelli A, Bonciani D, Bonciolini V, **Caproni M**, Fabbri P. Acne: a new model of immune-mediated chronic inflammatory skin disease. *G Ital Dermatol Venereol*. 2015 Apr;150(2):247-54.
- 216) Bettoli V, Naldi L, Cazzaniga S, Zauli S, Atzori L, Borghi A, Capezzer R, **Caproni M**, Cardinali C, DeVita V, Donini M, Fabbrocini G, Gimma A, Pasquinucci S, Patrizi A, Pinna AL, Raone B, Ricci M, Virgili A, Balestri R. Overweight, diabetes and disease duration influence clinical severity in Hidradenitis Suppurativa - Acne Inversa. Evidence from the national Italian Registry. *Br J Dermatol*. 2015 Apr 27. doi: 10.1111/bjd.13864.
- 215) Antiga E, **Caproni M**. The diagnosis and treatment of dermatitis herpetiformis. *Clin Cosmet Investig Dermatol*. 2015 May 13;8:257-65. doi: 10.2147/CCID.S69127
- 214) Antiga E, Bonciolini V, Volpi W, Del Bianco E, **Caproni M**. Oral Curcumin (Meriva) Is Effective as an Adjuvant Treatment and Is Able to Reduce IL-22 Serum Levels in Patients with Psoriasis Vulgaris. *Biomed Res Int*. 2015;2015:283634. doi: 10.1155/2015/283634. Epub 2015 May 18.
- 213) Cugno M, Marzano AV, Bucciarelli P, Balice Y, Cianchini G, Quaglino P, Calzavara Pinton P, **Caproni M**, Alaibac M, De Simone C, Patrizi A, Cozzani E, Papini M, Tedeschi A, Berti E, Rosendaal FR; INVENTEP Study Group. Increased risk of venous thromboembolism in patients with bullous pemphigoid. The INVENTEP (INcidence of VENous ThromboEmbolism in bullous Pemphigoid) study. *Thromb Haemost*. 2015 Aug 6;114(6).
- 212) Verdelli A, Antiga E, Bonciani D, Bonciolini V, Volpi W, Maio E, **Caproni M**. Docetaxel-induced-like subacute cutaneous lupus erythematosus. *Clin Exp Dermatol*. 2015 Sep 8. doi: 10.1111/ced.12756.
- 211) Antiga E, **Caproni M**, Parodi A, Cianchini G, Fabbri P. Treatment of cutaneous lichen planus: an evidence based analysis of efficacy by the Italian Group for Cutaneous Immunopathology. *G Ital Dermatol Venereol*. 2014 Dec;149(6):719-26.
- 210) Bonciani D, Bonciolini V, Verdelli A, D'Errico A, Antiga E, Volpi W, Fabbri P, **Caproni M**. Pseudoxanthoma elasticum: a rare cause of erectile dysfunction. *G Ital Dermatol Venereol*. 2014 Dec;149(6):728-9.
- 209) Kuhn A, Sigges J, Biazar C, Ruland V, Patsinakidis N, Landmann A, Amler S, Bonsmann G; EUSCLE coauthors; EUSCLE coauthors. Influence of smoking on disease severity and antimalarial therapy in cutaneous lupus erythematosus: analysis of 1002 patients from the EUSCLE database. *Br J Dermatol*. 2014 Sep;171(3):571-9.
- 208) Verdelli A, Bonciani D, Bonciolini V, **Caproni M**. Is tocilizumab safe in Kaposi sarcoma? A complex association among rheumatoid arthritis, psoriasis, and Kaposi sarcoma. *Clin Drug Investig*. 2014 Jun;34(6):437-8. doi: 10.1007/s40261-014-0200-7.
- 207) Tomasini C, Derlino F, Quaglino P, **Caproni M**, Borroni G. From erythema multiforme to toxic epidermal necrolysis. Same spectrum or different diseases? *G Ital Dermatol Venereol*. 2014 Apr;149(2):243-61.

- 206) Marzano AV, Fanoni D, Antiga E, Quaglino P, **Caproni M**, Crosti C, Meroni PL, Cugno M. Expression of cytokines, chemokines and other effector molecules in two prototypic autoinflammatory skin diseases, pyoderma gangrenosum and Sweet's syndrome. *Clin Exp Immunol*. 2014 Oct;178(1):48-56.
- 205) Verdelli A, Antiga E, Bonciolini V, Bonciani D, Volpi W, Caproni M. Drug induction in connective tissue diseases. *G Ital Dermatol Venereol*. 2014 Oct;149(5):573-80. Epub 2014 Jun 30.
- 204) Bonciolini V, Bonciani D, Verdelli A, Volpi W, Antiga E, **Caproni M**. Dermatitis herpetiformis: not only in adults. *Pediatr Dermatol*. 2014 Jul-Aug;31(4):538. doi: 10.1111/pde.12312.
- 203) Bonciolini V, Antiga E, **Caproni M**, Fabbri P. Rowell syndrome: does it exist? *Clin Exp Dermatol*. 2014 Jan;39(1):58. doi: 10.1111/ced.12183. Epub 2013 Jun 20.
- 202) Florea F, Bernardis C, **Caproni M**, Kleindienst J, Hashimoto T, Koch M, Sitaru C. Ex vivo pathogenicity of anti-laminin •1 autoantibodies. *Am J Pathol*. 2014 Feb;184(2):494-506. doi: 10.1016/j.ajpath.2013.10.019.
- 201) Piaserico S, Cazzaniga S, Chimenti S, Giannetti A, Maccarone M, Picardo M, Peserico A, Naldi L; Psocare Study Group. Efficacy of switching between tumor necrosis factor- $\alpha$  inhibitors in psoriasis: results from the Italian Psocare registry. *J Am Acad Dermatol*. 2014 Feb;70(2):257-62.e3. doi: 10.1016/j.jaad.2013.10.019.
- 200) Bonciolini V, Antiga E, Fabbri P, **Caproni M**. Skin manifestations of celiac disease: not always dermatitis herpetiformis.. *Int J Dermatol*. 2014 Mar 6. doi: 10.1111/ijd.12350.
- 199) Gisondi P, Amerio P, Amoroso GF, Antonucci VA, Bardazzi F, Buongiorno MR, Bruni P, Campanati A, **Caproni M**, Carlesimo M, Carrera CG, Cianchino G, Cimmino G, Costanzo A, Cozzani E, Dapavo P, D'amico D, De Simone C, Del Giglio M, Di Nuzzo S, Gai F, Galluccio AG, Goffredo A, Gualdi G, Guarneri C, Kokelj F, Lasagni C, Loconsole F, Longo V, Malagoli P, Miracapillo A, Mugheddu C, Parodi A, Pellegrino M, Peserico A, Piaserico S, Pistone G, Potenza C, Plumari A, Stingeni L, Strippoli D, Travaglino M, Girolomoni EG. Optimization of systemic treatments for chronic plaque psoriasis. Recommendations for switching and transitioning. *G Ital Dermatol Venereol*. 2013 Dec;148(6 Suppl 1):1-10.
- 198) Bonciolini V, **Caproni M**. Further considerations on the so-called rowell syndrome. *Indian Pediatr*. 2013;50:615.
- 197) Antiga E, **Caproni M**, Fabbri P. Linear Immunoglobulin A Bullous Dermatitis: Need for an Agreement on Diagnostic Criteria. *Dermatology*. 2013;226(4):329-32
- 196) Bonciolini V, Antiga E, **Caproni M**, Fabbri P. Rowell syndrome: does it exist? *Clin Exp Dermatol*. 2013.
- 195) Antiga E, Verdelli A, Calabrò A, Fabbri P, **Caproni M**. Clinical and immunopathological features of 159 patients with dermatitis herpetiformis: an Italian experience. *G Ital Dermatol Venereol*. 2013;148:163-9.

194) Antiga E, Fabbri P, **Caproni M**. Is dermatitis herpetiformis changing? *G Ital Dermatol Venereol*. 2013;148:159-62.

193) Bernacchi E, Neri R, **Caproni M**, Loggini B, Fabbri P, Bombardieri S. Annular subacute cutaneous lupus erythematosus lesions and polymyositis onset in a patient with primary Sjogren's syndrome: how should this unusual association be classified? *Lupus*. 2013;22:312-5.

192) Antiga E, Quaglino P, Volpi W, Pierini I, Del Bianco E, Bianchi B, Novelli M, Savoia P, Bernengo MG, Fabbri P, **Caproni M**. Regulatory T cells in skin lesions and blood of patients with bullous pemphigoid. *J Eur Acad Dermatol Venereol*. 2013.

191) Lytton SD, Antiga E, Pfeiffer S, Matthias T, Szaflarska-Poplawska A, Ulaganathan VK, Placek W, Fabbri P, Hall R, **Caproni M**. Neo-epitope tissue transglutaminase autoantibodies as a biomarker of the gluten sensitive skin disease--dermatitis herpetiformis. *Clin Chim Acta*. 2013;415:346-9.

190) **Caproni M**, Bonciani D, Fabbri P. Prurigo even as a symptom of a linear IgA bullous disease. *J Eur Acad Dermatol Venereol*. 2013;27:794-5.

189) Gisondi P, Cazzaniga S, Chimenti S, Giannetti A, Maccarone M, Picardo M, Girolomoni G, Naldi L; Psocare Study Group. Metabolic abnormalities associated with initiation of systemic treatment for psoriasis: evidence from the Italian Psocare Registry. *J Eur Acad Dermatol Venereol*. 2013;27:e30-41.

188) Gisondi P, Cazzaniga S, Chimenti S, Giannetti A, Maccarone M, Picardo M, Girolomoni G, Naldi L; Psocare Study Group. Metabolic abnormalities associated with initiation of systemic treatment for psoriasis: evidence from the Italian Psocare Registry. *J Eur Acad Dermatol Venereol*. 2013 Jan;27(1):e30-41.

187) Kuhn A, Sigges J, Biazar C, Landmann A, Ruland V, Patsinakidis N, Amler S, Bonsmann G; the EUSCLE Co-Authors. Therapeutic strategies evaluated by the European society of cutaneous lupus erythematosus (EUSCLE) core set questionnaire in more than 1000 patients with cutaneous lupus erythematosus. *Autoimmun Rev*. 2012 Dec 5. doi:pii: S1568-9972(12)00263-7. 10.1016/j.autrev.2012.10.005

186) Cutaneous lupus erythematosus: First multicenter database analysis of 1002 patients from the European Society of Cutaneous Lupus Erythematosus (EUSCLE). Cyrus Biazar<sup>a</sup>, Johanna Sigges<sup>a</sup>, Nikolaos Patsinakidis<sup>a</sup>, Vincent Ruland<sup>a</sup>, Susanne Amler<sup>b</sup>, Gisela Bonsmann<sup>a</sup>, Annegret Kuhn<sup>a</sup> and the EUSCLE co-authors. *Autoimmunity Reviews* 2012 Sep 18. doi:pii: S1568-9972(12)00211-X. 10.1016/j.autrev.2012.08.019.

185) Fabbri P, Volta U, Bardazzi F, Catassi C, De Vitis I, **Caproni M**. Linee Guida: Celiachia e Dermatite Erpetiforme. AIC via Calfaro, 10/7 Genova

184) Antiga E, **Caproni M**, Bonciani D, Bonciolini V, Fabbri P. The last word on the so-called 'Rowell's syndrome'? *Lupus*. 2012 May;21(6):577-85.

183) Quaglino P, Antiga E, Comessatti A, **Caproni M**, Nardò T, Ponti R, Novelli M, Osella-Abate S, Fabbri P, Bernengo MG. Circulating CD4+ CD25brightFOXP3+ regulatory T-cells are

significantly reduced in bullous pemphigoid patients. *Arch Dermatol Res.* 2012 Feb 5. [Epub ahead of print]

182) Di Landro A, Cazzaniga S, Parazzini F, Ingordo V, Cusano F, Atzori L, Cutrì FT, Musumeci ML, Zinetti C, Pezzarossa E, Bettoli V, **Caproni M**, Lo Scocco G, Bonci A, Bencini P, Naldi L; GISED Acne Study Group. Family history, body mass index, selected dietary factors, menstrual history, and risk of moderate to severe acne in adolescents and young adults. *J Am Acad Dermatol.* 2012 Feb 29.

181) **Caproni M**, Bonciolini V, D'Errico A, Antiga E, Fabbri P. Celiac disease and dermatologic manifestations: many skin clue to unfold gluten-sensitive enteropathy. *Gastroenterol Res Pract.* 2012;2012:952753.

180) Antiga E, Volpi W, Cardilicchia E, Maggi L, Fili L, Manuelli C, Parronchi P, Fabbri P, **Caproni M** Etanercept Downregulates the Th17 Pathway and Decreases the IL-17(+)/IL-10 (+) Cell Ratio in Patients with Psoriasis Vulgaris. *J Clin Immunol.* 2012 Jun 15.

179) Bonciolini V, Bonciani D, Verdelli A, D'Errico A, Antiga E, Fabbri P, **Caproni M**. Newly described clinical and immunopathological feature of dermatitis herpetiformis. *Clin Dev Immunol.* 2012;2012:967974.

178) Bonciani D, Verdelli A, Bonciolini V, D'Errico A, Antiga E, Fabbri P, **Caproni M**. Dermatitis herpetiformis: from the genetics to the development of skin lesions. *Clin Dev Immunol.* 2012:239691

177) D'Errico A, Bonciani D, Bonciolini V, Verdelli A, Antiga E, Fabbri P, **Caproni M**. Hailey-Hailey disease treated with methotrexate. *J Dermatol Case Rep.* 2012 Jun 30;6(2):49-51.

176) **Caproni M**, Bonciani D, Fabbri P. Prurigo even as a symptom of a linear IgA bullous disease. *J Eur Acad Dermatol Venereol.* 2012 Aug 7.

175) Cozzani E, Di Zenzo G, Calabresi V, **Caproni M**, Schena D, Quaglino P, Marzano AV, Fabbri P, Rebora A, Parodi A. Anti-desmoplakin antibodies in erythema multiforme and Stevens-Johnson syndrome sera: pathogenic or epiphenomenon? *Eur J Dermatol.* 2011 Jan-Feb;21(1):32-6.

174) Antiga E, Del Bianco E, Difonzo E, Fabbri P, **Caproni M**. Serum levels of the regulatory cytokines transforming growth factor- $\beta$  and interleukin-10 are reduced in patients with discoid lupus erythematosus. *Lupus* 2011;20(6):556-60.

173) Beccastrini E, Emmi G, **Caproni M**, Antiga E, Francalanci S, Lorenzoni A, Emmi L. A case of lichenoid drug eruption associated with subcutaneous immunoglobulin therapy. *Clin Immunol.* 2011 May;139(2):228-30.

172) Antiga E, **Caproni M**, Fabbri P. Comment on "Dermatitis herpetiformis sera or goat anti-transglutaminase-3 transferred to human skin-grafted mice mimics dermatitis herpetiformis immunopathology". *J Immunol.* 2011 Jul 15;187(2):595; author reply 595-6.

171) Antiga E, **Caproni M**, Pierini I, Bonciani D, Fabbri P. Gluten-free diet in patients with dermatitis herpetiformis: not only a matter of skin. *Arch Dermatol.* 2011 Aug;147(8):988-9; author reply 989.

- 170) Antiga E, Volpi W, Torchia D, Fabbri P, **Caproni M**. Effects of tacrolimus ointment on Toll-like receptors in atopic dermatitis. *Clin Exp Dermatol*. 2011; 36(3): 235-41.
- 169) Antiga E, Quaglino P, Bellandi S, Volpi W, Del Bianco E, Comessatti A, Osella-Abate S, De Simone C, Marzano A, Bernengo MG, Fabbri P, **Caproni M**. Regulatory T cells in the skin lesions and blood of patients with systemic sclerosis and morphoea. *Br J Dermatol*. 2010 May;162(5):1056-63.
- 168) Antiga E, Volpi W, Fabbri P, **Caproni M**. Re: Serum thyroid autoantibodies in patients with idiopathic either acute or chronic urticaria. *J Endocrinol Invest*. 2010 May;33(5):357.
- 167) Torchia D, **Caproni M**, Volpi W, Barletta E, Fabbri P. The Fas/Fas ligand system, rather than granzyme B, may represent the main mediator of epidermal apoptosis in dermatomyositis. *Clin Exp Dermatol*. 2010 Aug;35(6):669-70.
- 166) Torchia D, **Caproni M**, Massi D, Chella A, Fabbri P. Paraneoplastic toxic epidermal necrolysis-like subacute cutaneous lupus erythematosus. *Clin Exp Dermatol*. 2010 Jun;35(4):455-6.
- 165) Arcese A, Aste N, Bettacchi A, Camplone G, Cantoresi F, **Caproni M**, D'Amico D, Fabbri P, Filosa G, Galluccio A, Hansel K, Lisi P, Micali G, Musumeci ML, Nicolini M, Parodi A, Patania M, Pezza M, Potenza C, Richetta A, Simonacci M, Trevisan P, Valenti G, Calvieri S. Treating psoriasis with etanercept in italian clinical practice: prescribing practices and duration of remission following discontinuation. *Clin Drug Investig*. 2010;30(8):507-16.
- 164) Antiga E, Fabbri P, **Caproni M**. Immunosuppressive therapy may affect the number of circulating regulatory cells in systemic sclerosis: Pay attention to the patient selection criteria. *Cell Immunol*. 2010;264(2):186.
- 163) Antiga E, Kretz CC, Klembt R, Massi D, Ruland V, Stumpf C, Baroni G, Hartmann M, Hartschuh W, Volpi W, Del Bianco E, Enk A, Fabbri P, Krammer PH, **Caproni M**, Kuhn A. Characterization of regulatory T cells in patients with dermatomyositis. *J Autoimmun*. 2010 Dec;35(4):342-50.
- 162) Antiga E, Volpi W, Chiarini C, Cardilicchia E, Filì L, Manuelli C, Parrochi P, Fabbri P, **Caproni M**. The role of etanercept on the expression of markers of T helper 17 cells and their precursors in skin lesions of patients with psoriasis vulgaris. *Int J Immunopathol Pharmacol*. 2010 Jul-Sep;23(3):767-74.
- 161) Antiga E, Torchia D, **Caproni M**, Fabbri P. Linear immunoglobulin A bullous dermatosis. *Expert Rev 79 Dermatol* 4:495-508 (2009).
- 160) Antiga E, Volpi W, Del Bianco E, Fabbri P, **Caproni M**. Plasma levels of metalloproteinase-9 are elevated in patients with chronic autoimmune urticaria. *Br J Dermatol*. 2009 Sep;161(3):712-4. Epub 2009 Jul 15.
- 159) **Caproni M**, Antiga E, Cardinali C, Del Bianco E, Fabbri P. Antilaminin-1 antibodies in cutaneous lupus erythematosus patients. *Lupus*. 2009 Aug;18(9):858

- 158) **Caproni M**, Antiga E, Melani L, Fabbri P; the Italian Group for Cutaneous Immunopathology. Guidelines for the diagnosis and treatment of dermatitis herpetiformis. *J Eur Acad Dermatol Venereol* 2009 Jun;23(6):633-8.
- 157) Torchia D, **Caproni M**, Volpi W, Fabbri P. Naturally occurring regulatory T cells in mucous membrane pemphigoid lesions. *Acta Dermatovenerol Alp Panonica Adriat*. 2009 Mar;18(1):3-6.
- 156) **Caproni M**, Volpi W, Chiarini C, Antiga E, Giomi B, Fabbri P. A case of natural killer cell monoclonal expansion during efalizumab treatment in a patient with psoriasis. *Br J Dermatol*. 2009 Apr;160(4):896-7.
- 155) Torchia D, **Caproni M**, Fabbri P. Interleukin 8 as a chemoattractant for neutrophil granulocytes in toxic epidermal necrolysis lesions. *Clin Exp Dermatol*. 2009 Apr;34(3):403-4.
- 154) **Caproni M**, Antiga E, Melani L, Volpi W, Del Bianco E, Fabbri P. Serum levels of IL-17 and IL-22 are reduced by etanercept, but not by acitretin, in patients with psoriasis: a randomized-controlled trial. *J Clin Immunol*. 2009 Mar;29(2):210-4.
- 153) La Placa ML, Vitone F, Volpi W, **Caproni M**, Gibellini D, Torchia D, Fabbri P, Re M. Detection of serum antibodies to human intracisternal A-type retroviral particles in chronic idiopathic urticaria. *J Eur Acad Dermatol Venereol* 2009 Mar;23(3):352-3.
- 152) **Caproni M**, Antiga E, Melani L, Volpi W, Del Bianco E, Fabbri P. Serum Levels of IL-17 and IL-22 Are Reduced by Etanercept, but not by Acitretin, in Patients with Psoriasis: a Randomized-Controlled Trial. *J Clin Immunol* 2009 Mar;29(2):210-4.
- 151) **Caproni M**, Torchia D, Parigi L, Fabbri P. Brugada syndrome, epilepsy and pemphigus vulgaris. *South Med J*. 2008 Nov;101(11):1183
- 150) Torchia D, **Caproni M**, Fabbri P. Linear IgA disease and desquamative gingivitis: time for inclusion in mucous membrane pemphigoid. *Oral Dis* 2008 Nov;14(8):768-9 author reply 770.
- 149) Chiarini C, Torchia D, Bianchi B, Volpi W, **Caproni M**, Fabbri P. Immunopathogenesis of folliculitis decalvans: clues in early lesions. *Am J Clin Pathol*. 2008 Oct;130(4):526-34.
- 148) Cosmi L, De Palma R, Santarasci V, Maggi L, Capone M, Frosali F, Rodolico G, Querci V, Abbate G, Angeli R, Berrino L, Fambrini M, **Caproni M**, Tonelli F, Lazzeri E, Parronchi P, Liotta F, Maggi E, Romagnani S, Annunziato F. Human interleukin 17-producing cells originate from a CD161+CD4+ T cell precursor. *J Exp Med*. 2008 Aug 4;205(8):1903-16.
- 147) Torchia D, Massi D, **Caproni M**, Fabbri P. Multiple cutaneous precanceroses and carcinomas from combined iatrogenic/professional exposure to arsenic. *Int J Dermatol*. 2008 Jun;47(6):592-3.
- 146) **Caproni M**, Torchia D, Volpi W, Frezzolini A, Schena D, Marzano A, Quaglino P, De Simone C, Parodi A, Fabbri P. Expression of matrix metalloproteinases 2, 9 and 11 in erythema multiforme: immunohistochemical comparison with Stevens-Johnson syndrome/toxic epidermal necrolysis. *Br J Dermatol*. 2008 May;158(5):1163-6.
- 145) Quaglino P, **Caproni M**, Osella-Abate S, Torchia D, Comessatti A, Del Bianco E, Antiga E, Frezzolini A, Schena D, Marzano A, De Simone C, Parodi A, Fabbri P, Bernengo MG. Serum interleukin-13 levels are increased in patients with Stevens-Johnson syndrome/ toxic epidermal

necrolysis but not in those with erythema multiforme. *Br J Dermatol.* 2008 Jan;158(1):184-6.

144) Di Zenzo G, Calabresi V, Grosso F, **Caproni M**, Ruffelli M, Zambruno G. The intracellular and extracellular domains of BP180 antigen comprise novel epitopes targeted by pemphigoid gestationis autoantibodies. *J Invest Dermatol.* 2007 Apr;127(4):864-73.

143) **Caproni M**, Torchia D, Antiga E, Terranova M, Volpi W, del Bianco E, D'Agata A, Fabbri P. The comparative effects of tacrolimus and hydrocortisone in adult atopic dermatitis: an immunohistochemical study. *Br J Dermatol.* 2007 Feb;156(2):312-9.

142) Melani L, Antiga E, Torchia D, Giomi B, Massi D, **Caproni M**, Emmi L, Fabbri P. Cutis marmorata telangiectatica congenita and chronic autoimmune urticaria in a young man. *J Dermatol.* 2007 Mar;34(3):210-3.

141) Melani L, Schincaglia E, Antiga E, **Caproni M**, Massi D, Fabbri P. Chronic autoimmune urticaria in a patient with multiple piloleiomyomas. *Clin Exp Dermatol.* 2007 Jul;32(4):449-50.

140) Quaglino P, **Caproni M**, Antiga E, Del Bianco E, Osella-Abate S, Savoia P, Frezzolini A, Schena D, Marzano A, Volpi W, De Simone C, Parodi A, Fabbri P, Bernengo MG; Italian Group of Immunopathology. Serum levels of the Th1 promoter IL-12 and the Th2 chemokine TARC are elevated in erythema multiforme and Stevens-Johnson syndrome/toxic epidermal necrolysis and correlate with soluble Fas ligand expression. An immunoenzymatic study from the Italian Group of Immunopathology. *Dermatology.* 2007;214(4):296-304.

139) **Caproni M**, Antiga E, Torchia D, Volpi W, del Bianco E, Cappetti A, Feliciani C, Fabbri P. The CD40/CD40 ligand system is involved in the pathogenesis of pemphigus. *Clin Immunol.* 2007 Jul;124(1):22-5.

138) **Caproni M**, Torchia D, Antiga E, Giomi B, Mercuri M, Volpi W, Fabbri P. The CD40/CD40 ligand system in the skin of patients with subacute cutaneous lupus erythematosus. *J Rheumatol.* 2007 Dec;34(12):2412-6. Epub 2007 Nov 15.

137) Torchia D, **Caproni M**, Fabbri P. Linear IgA dermatosis with exclusive mucosal involvement or mucous membrane pemphigoid? *Oral Surg Oral Med Oral Pathol Oral Radiol Endod.* 2007 Aug;104(2):151-2.

136) Marzano AV, Frezzolini A, **Caproni M**, Parodi A, Fanoni D, Quaglino P, Girgenti V, La Placa M, Fabbri P, Caputo R, Berti E. Immunohistochemical expression of apoptotic markers in drug-induced erythema multiforme, Stevens-Johnson syndrome and toxic epidermal necrolysis. *Int J Immunopathol Pharmacol.* 2007 Jul-Sep;20(3):557-66.

135) Torchia D, **Caproni M**, Cozzani E, Ketabchi S, Fabbri P. Subacute prurigo-like linear IgA disease. *Int J Dermatol.* 2007 Oct;46(10):1101-3.

134) Torchia D, Antiga E, Ricupero L, **Caproni M**, Fabbri P. Magnetic resonance imaging for paraneoplastic dermatomyositis. *Med J Aust.* 2007 Nov 19;187(10):589.

133) **Caproni M**, Antiga E, Torchia D, Volpi W, Barletta E, Gitti G, De Campora E, Fabbri P. FoxP3-expressing T regulatory cells in atopic dermatitis lesions. *Allergy Asthma Proc.* 2007 Sep-Oct;28(5):525-8.

- 132) **Caproni M**, Volpi W, Giomi B, Torchia D, Del Bianco E, Fabbri P. Cellular adhesion molecules in chronic urticaria: modulation of serum levels occurs during levocetirizine treatment. *Br J Dermatol*. 2006 Dec;155(6):1270-4.
- 131) Torchia D, **Caproni M**, Ketabchi S, Antiga E, Fabbri P. Bullous pemphigoid initially localized around a urostomy. *Int J Dermatol*. 2006 Nov;45(11):1387-9.
- 130) Torchia D, **Caproni M**, Del Bianco E, Cozzani E, Ketabchi S, Fabbri P. Linear IgA disease presenting as prurigo nodularis. *Br J Dermatol*. 2006 Aug;155(2):479-80.
- 129) **Caproni M**, Torchia D, Schincaglia E, Volpi W, Frezzolini A, Schena D, Marzano A, Quaglino P, De Simone C, Parodi A, Barletta E, Fabbri P. Expression of cytokines and chemokine receptors in the cutaneous lesions of erythema multiforme and Stevens-Johnson syndrome/toxic epidermal necrolysis. *Br J Dermatol*. 2006 Oct;155(4):722-8.
- 128) Antiga E, Melani L, **Caproni M**, Fabbri P. An unusual cause of gastrointestinal bleeding in a young girl. *CMAJ*. 2006 Sep 12;175(6):583.
- 127) **Caproni M**, Giomi B, Melani L, Volpi W, Antiga E, Torchia D, Fabbri P. Cellular infiltrate and related cytokines, chemokines, chemokine receptors and adhesion molecules in chronic autoimmune urticaria: comparison between spontaneous and autologous serum skin test induced wheal. *Int J Immunopathol Pharmacol*. 2006 Jul-Sep;19(3):507-15.
- 126) **Caproni M**, Torchia D, Antiga E, Volpi W, Fabbri P. Expression of adhesion molecules in atopic dermatitis is reduced by tacrolimus, but not by hydrocortisone butyrate: a randomized immunohistochemical study. *Clin Exp Dermatol*. 2006 Nov;31(6):813-7
- 125) **Caproni M**, Torchia D, Schincaglia E, Volpi W, Frezzolini A, Schena D, Marzano A, Quaglino P, De Simone C, Parodi A, Barletta E, Fabbri P. The CD40/CD40 ligand system is expressed in the cutaneous lesions of erythema multiforme and Stevens-Johnson syndrome/toxic epidermal necrolysis spectrum. *Br J Dermatol*. 2006 Feb;154(2):319-24.
- 124) **Caproni M**, Giomi B, Berti S, Bianchi B, Fabbri P. Relevance of cellular infiltrate and cytokines in polymorphic eruption of pregnancy (PEP). *J Dermatol Sci*. 2006 Jul;43(1):67-9. Epub 2006 Apr 18.
- 123) **Caproni M**, Antiga E, Parodi A, Schena D, Marzano A, Quaglino P, De Simone C, La Placa M, Volpi W, Del Bianco E, Fabbri P. Elevated circulating CD40 ligand in patients with erythema multiforme and Stevens-Johnson syndrome/toxic epidermal necrolysis spectrum. *Br J Dermatol*. 2006 May;154(5):1006-7.
- 122) **Caproni M**, Torchia D, Antiga E, Volpi W, Del Bianco E, Fabbri P. The effects of tacrolimus ointment on regulatory T lymphocytes in atopic dermatitis. *J Clin Immunol*. 2006 Jul;26(4):370-5.
- 121) Torchia D, Palleschi GM, Terranova M, Antiga E, Melani L, **Caproni M**, Fabbri P. Ulcerative carcinoma of the breast with zosteriform skin metastases. *Breast J*. 2006 Jul-Aug;12(4):385.
- 120) **Caproni M**, Torchia D, Antiga E, Volpi W, Del Bianco E, Fabbri P. Tacrolimus ointment reduces immunoflogosis in atopic dermatitis. *J Eur Acad Dermatol Venereol* 2005;19(6):485-6.
- 119) Melani L, Giomi B, Antiga E, Torchia D, Caproni M, Fabbri P. Radiation therapy as a trigger

factor for initially localized bullous pemphigoid. *Breast J.* 2005 Nov-Dec;11(6):485-6.

118) **Caproni M**, Torchia D, Antiga E, Degl'Innocenti D, Barletta E, Baroni G, Santucci M, Fabbri P. The role of apoptosis in the pathogenesis of dermatitis herpetiformis. *Int J Immunopathol Pharmacol.* 2005 Oct-Dec;18(4):691-9.

117) Antiga E, Melani L, Cardinali C, Giomi B, **Caproni M**, Francalanci S, Fabbri P. A case of lichenoid drug eruption associated with sildenafil citratus. *J Dermatol.* 2005 Dec; 32(12):972-5.

116) Melani L, **Caproni M**, Cardinali C, Antiga E, Bernacchi E, Schincaglia E, Fabbri P. A case of nodular scleroderma. *J Dermatol.* 2005 Dec;32(12):1028-31.

115) **Caproni M**, Torchia D, Fabbri P. Evidence for a role of type I interferons in the pathogenesis of dermatomyositis: reply from authors. *Br J Dermatol* 2005; 153: 463-64.

114) **Caproni M**, Giomi B, Volpi W, Melani L, Schincaglia E, Macchia D, Manfredi M, D'Agata A, Fabbri P. Chronic idiopathic urticaria: infiltrating cells and related cytokines in autologous serum-induced wheals. *Clin Immunol* 114(3):284-92, 2005.

113) Giomi B, Ruggiero M, Fabbri P, Gulisano M, Peruzzi B, **Caproni M**, Pacini S. Does the determination of the Bb vitamin D receptor genotype identify psoriasis vulgaris patients responsive to topical tacalcitol ? *J Dermatol Sci* 37(3):180-1, 2005.

112) Giomi B, **Caproni M**, Fabbri P. IL-4 and cellular adhesion molecule (CAM) pathway are involved in cicatricial pemphigoid scarring process. *J Dermatol Sci* 38(1): 57-9, 2005.

111) **Caproni M**, Torchia D, Pestelli E, Volpi W, Fabbri P, Schincaglia E. Clinical and immunohistochemical study of the effect of a cosmetic product in patients with asteatotic eczema. *Int J Tissue React* 27(1): 23-9 2005.

110) Melani L, Cardinali C, Giomi B, Schincaglia E, **Caproni M**, Fabbri P. Case Study: periodic follow-up is necessary in morphea profunda to identify systemic evolution. *Skinmed* 4(3):188-90, 2005.

109) Petrini N, **Caproni M**, Neri R. Informazione ed educazione del paziente. In: *Il Lupo non sempre morde: vivere e convivere con il Lupus. Lupus Eritematoso: Dalla sospetto diagnostico alla gestione del paziente. Dermatologia Ambulatoriale anno XII, N° 1/2/3/4 :49-54, 2004.*

108) **Caproni M**, Cardinali C, Petrini N. Gestione del Paziente con Lupus eritematoso, strategia terapeutica del Lupus Eritematoso Cutaneo (LEC). In: *Il Lupo non sempre morde: vivere e convivere con il Lupus. Lupus Eritematoso: Dalla sospetto diagnostico alla gestione del paziente. Dermatologia Ambulatoriale anno XII, N° 1/2/3/4: 41-43, 2004.*

107) Cardinali C, **Caproni M**. Lupus Band Test. In: *Il Lupo non sempre morde: vivere e convivere con il Lupus. Lupus Eritematoso: Dalla sospetto diagnostico alla gestione del paziente. Dermatologia Ambulatoriale anno XII, N° 1/2/3/4:26-29, 2004.*

106) **Caproni M**, Cardinali C, Petrini N. Lupus Eritematoso Cutaneo. In: *Il Lupo non sempre morde: vivere e convivere con il Lupus. Lupus Eritematoso: Dalla sospetto diagnostico alla gestione del paziente. Dermatologia Ambulatoriale anno XII, N° 1/2/3/4:11-22, 2004.*

- 105) Cardinali C, Melani L, Giomi B, **Caproni M**, Fabbri P. Systemic lupus erythematosus with unusual maculopapular and erosive lesions. *Skinmed* 3(5):292-3, 2004.
- 104) **Caproni M**, Cardinali C, Giomi B, Antiga E, D'Agata A, Fabbri P. Serological detection of eotaxin, IL-4, IL-13, IFN- $\gamma$ , MIP-1 $\alpha$ , and IP-10 in chronic autoimmune urticaria and chronic idiopathic urticaria. *J Dermatol Sci* 36(1):57-9, 2004.
- 103) Cardinali C, Torchia D, **Caproni M**, Petrini N, Fabbri P. Case Study: pachyonychia congenita: a mixed type II-type IV presentation. *Skinmed* 3(4):233-5, 2004.
- 102) Cardinali C, Francalanci S, Giomi B, **Caproni M**, Sertoli A, Fabbri P. Systemic contact dermatitis from herbal and homeopathic preparations used for herpes virus treatment. *Acta Derm Venereol* 84:223-26, 2004.
- 101) Ruggiero M, Gulisano M, Peruzzi B, Giomi B, **Caproni M**, Fabbri P, Pacini S. Vitamin D receptor gene polymorphism is not associated with psoriasis in the Italian Caucasian population. *J Dermatol Sci* 35:68-70, 2004.
- 100) **Caproni M**, Torchia D, Cardinali C, Volpi W, Del Bianco E, D'Agata A and P Fabbri. Infiltrating cells, related cytokines and chemokine receptors in lesional skin of patients with dermatomyositis. *Br J Dermatol* 151(4):784-91, 2004.
- 99) Capitanini A, Petrone I, Del Corso C, Rossi A, Bulckaen M, Petrini M, **Caproni M**. Ulcere nel paziente uremico: Un caso di calcifilassi. *Dermatologia Ambulatoriale XI* (3):40-44, 2004.
- 98) **Caproni M**, Volpi W, Giomi B, Cardinali C, Antiga E, Melani L, D'Agata A, Fabbri P. Chronic Idiopathic and Chronic Autoimmune Urticaria: Clinical and Immuno-pathological Features of 68 Subjects. *Acta Derm Venereo* 1 84:288-90, 2004.
- 97) Giomi B, Cardinali C, Pestelli E, **Caproni M**, Fabbri P. Pemphigus foliaceus developing on pre-existing psoriasis: a supposed pathogenetic linkage. *Acta Derm Venereol* 84(1):82-3, 2004.
- 96) Cardinali C, Francalanci S, Giomi B, **Caproni M**, Sertoli A, Fabbri P. Contact dermatitis from *Rhus toxicodendron* in a homeopathic remedy. *J Am Acad Dermatol* 50(1):150-1, 2004.
- 95) Cardinali C, Giomi B, **Caproni M**, Fabbri P. Cutaneous hypertrophic lupus erythematosus in a patient with systemic involvement. *Skinmed*. 3(1):49-51, 2004.
- 94) Giomi B, Cardinali C, Volpi W, Antiga E, **Caproni M**, Fabbri P. Orticaria cronica idiopatica ed orticaria cronica autoimmune: studio clinico ed immunopatologico sierico di citochine e chemochine coinvolte nella reazione cutanea. *Annali Italiani di Dermatologia Allergologica, Clinica e Sperimentale* 57:55-63, 2003.
- 93) **Caproni M**, Pestelli E, P Fabbri. Le Immunoglobuline endovenose in dermatologia. *G Ital Dermatol Venereol* 138:377-83, 2003.
- 92) Pestelli E, Floriani I, Fabbri P, **Caproni M**. Cetirizine modulates adhesion molecule expression in a double-blind controlled study conducted in psoriatic patients. *Int J Tissue React* 25(1):1-8, 2003.
- 91) Fabbri P, **Caproni M**, Berti S, Bianchi B, Amato L, De Pità O, Frezzolini A. The role of T lymphocytes and cytokines in the pathogenesis of herpes gestationis. *Br J Dermatol* 148: 1141-48,

2003.

90) Giomi B, Cardinali C, Degl'Innocenti D, **Caproni M**. Persistence d'un erythème, de téléangiectasies et de flushs du visage après ablation d'une tumeur carcinoïde. *Medical Staff* 58:12-14, 2003.

89) Fabbri P, Cardinali C, Giomi B, **Caproni M**. Cutaneous lupus erythematosus: diagnosis and management. *Am J Clin Dermatol* 4(7):449-65, 2003.

88) Giomi B, Pestelli E, Massi D, **Caproni M**, Fabbri P. Vulvar lichen planus associated with ulcerative colitis. A case report. *J Reprod Med* 48(3):209-12, 2003.

87) **Caproni M**, Calzolari A, Salvatore E, Giomi B, Volpi W, D'Agata A, Santucci M, Fabbri P. Cytokine profile and supposed contribution to scarring in cicatricial pemphigoid. *J Oral Pathol Med* 32(1):34-40, 2003.

86) **Caproni M**, Volpi W, Macchia D, Giomi B, Manfredi M, Campi P, D'Agata A, Fabbri P. Infiltrating cells and related cytokines in lesional skin of patients with chronic idiopathic urticaria and positive autologous serum skin test. *European Journal of Inflammation* 1:91-94, 2003

85) Giomi B, Cardinali C, **Caproni M**, Fabbri P. Persistent erythema, teleangiectases, and facial flushing after carcinoid tumor excision. *Skin Med Dermatology for Clinician* 4: 259-262, 2003

84) Pestelli E, Volpi W, Giomi B, **Caproni M**, Fabbri P. Undifferentiated connective tissue disease and its cutaneous manifestations. *J Eur Acad Dermatol Venereol* 17:715-17, 2003

83) **Caproni M**, Volpi W, Macchia D, Giomi B, Manfredi M, Campi P, Cardinali C, D'Agata A, Fabbri P. Infiltrating cells and related cytokines in lesional skin of patients with chronic idiopathic urticaria and positive autologous serum skin test. *Exp Dermatol* 12:621-28, 2003.

82) Giomi B, Cardinali C, **Caproni M**, Fabbri P. Manifestazioni cutanee in corso di insufficienza renale cronica e trattamento emodialitico. *G Ital Dermatol Venereol* 137:195-200, 2002.

81) Giomi B, **Caproni M**, Calzolari A, Bianchi B, Fabbri P. Th1, Th2 and Th3 cytokines in the pathogenesis of bullous pemphigoid. *J Dermatol Sci* 30(2):116-28, 2002.

80) **Caproni M**, Cardinali C, D'Agata A, Selvaggi W, Fabbri P. Serum eosinophil cationic protein, myeloperoxidase, tryptase, eotaxin and Th2-like cytokines in Dermatitis herpetiformis. *Int Arch Allergy Immunol* 128(1): 67-72, 2002.

79) Cardinali C, Giomi B, **Caproni M**, Palleschi GM, Fabbri P. Un pyoderma malin. *Medical Staff* 57:14-17, 2002.

78) Giomi B, Cardinali C, **Caproni M**, Battini ML, Fabbri P. Dermatite séborrhéic sévère. *Medical Staff* 57:11-13, 2002.

77) Cardinali C, Degl'Innocenti D, **Caproni M**, Fabbri P. Is the search of serum antibodies to gliadin (AGA), antiendomysium (EMA) and antitissue transglutaminase meaningful in psoriatic patients? Relationship between the pathogenesis of psoriasis and coeliac disease. *Br J Dermatol* 147(1):187-8, 2002.

- 76) Petrini N, Bernacchi E, **Caproni M**. Un caso di crioglobulinemia mista HCV correlata. *Dermatologia Ambulatoriale* 4:33-35, 2002.
- 75) Cardinali C, Giomi B, Pestelli E, **Caproni M**. Un caso di connettivite indifferenziata. *Dermatologia Ambulatoriale* 4:26-27, 2002.
- 74) Cardinali C, Giomi B, Pestelli E, **Caproni M**. Rash maculo-papuloso diffuso in una giovane donna affetta da lupus eritematoso sistemico. *Dermatologia Ambulatoriale* 4:23-25, 2002.
- 73) Giomi B, Cardinali C, Pestelli E, **Caproni M**. un caso di pemfigo foliaceo associato a psoriasi. *Dermatologia Ambulatoriale* 4:20-22, 2002.
- 72) **Caproni M**, Cardinali C, Parodi A, Giomi B, Papini M, Vaccaro M, Marzano A, De Simone C, Marcello Fazio, Alfredo Rebora, Paolo Fabbri. Amyopathic Dermatomyositis. A review by the Italian Group of Immunodermatology. *Arch Dermatol* 138(1): 23-27, 2002.
- 71) **Caproni M**, Giomi B, Pestelli E, Cardinali C, Volpi W, Fabbri P. Ruolo Patogenetico dei linfociti T nelle dermatosi bollose autoimmuni a IgA. *Il Dermatologo* 617:1-3, 2002.
- 70) Parodi A, **Caproni M**, Marzano AV, De Simone C, La Placa M, Quaglino P, Veller Fornasa C, Zane C, Vaccaro M, Papini M, Fabbri P, Rebora A. Dermatomyositis in 132 Patients with Different Clinical Subtypes: Cutaneous signs, constitutional symptoms and circulating antibodies. *Acta Derm Venereol* 82:48-50, 2002.
- 69) **Caproni M**, Calzolari A, Salvatore E, Giomi B, Santucci M, Fabbri P. IL-4, IL-5, TGF- $\beta$ 1 and IFN- $\gamma$  mRNAs detected by a new in situ amplification system in cicatricial pemphigoid. *Exp Dermatol* Oct; 11(5):421-7, 2002.
- 68) **Giomi B, Cardinali C, Caproni M, Fabbri P. Un edème facial solide, persistant (Sindrome du Morbihan). Medical Staff 53: 3-7, 2001**
- 67) Fabbri P, **Caproni M**, Cardinali C. La ciclosporina nel trattamento delle altre patologie dermatologiche immunomediata. *Bollettino della Società Italiana di Immunologia e Immunologia Clinica* suppl: 4-7, 2001.
- 66) Giomi B, Cardinali C, **Caproni M**, Del Bianco E, D'Agata A, Fabbri P. Immunological markers in dermatitis herpetiformis: anti-endomysium and anti-transglutaminase in association with increased myeloperoxidase and eosinophil cationic protein serum levels. *International Journal of Medicine, Biology and the Environment* 29: 149-53, 2001.
- 65) Cardinali C, Giomi B, **Caproni M**, Fabbri P. Guess What! Malignant pyoderma responding to cyclosporine. *Eur J Dermatol* 6 (11): November-December 2001.
- 64) Pestelli E, **Caproni M**, Fabbri P. Dermatosis della Gravidanza. *Dermatologia Clinica*. Vol XXI: 13-20, 2001.
- 63) Fabbri P, Volpi W, **Caproni M**. L'Orticaria Cronica Autoimmune. *G Ital Dermatol Venereol* 136: 253-60, 2001.
- 62) Amato L, Gallerani E, Mei I, Pestelli E, **Caproni M**, Fabbri P. Erythrodermic bullous pemphigoid. *Int J Dermatol* 40(5): 343-6, 2001.

- 61) Pestelli E, **Caproni M**, Giomi B, Volpi W, Spallanzani A, Cardinali C, Floriani I, Fabbri P. Cetirizine reduces the number of tryptase-positive mast cells in psoriatic patients: a double-blind controlled study. *Int J Tissue React* 23(3):97-103, 2001.
- 60) **Caproni M**, Giomi B, Cardinali C, Salvatore E, Pestelli E, D'Agata A, Bianchi B, Toto P, Feliciani C, Fabbri P. Further support for a role for Th2-like cytokines in blister formation of pemphigus. *Clin Immunol* Feb; 98 (2): 264-71, 2001.
- 59) **Caproni M**, Cardinali C, Renzi D, Calabrò A, Fabbri P. Tissue transglutaminase antibody assessment in dermatitis herpetiformis. *Br J Dermatol* Jan;144(1):196-7, 2001.
- 58) **Caproni M**, Cardinali C, Salvatore E, Fabbri P. Subacute cutaneous lupus erythematosus with pityriasis-like cutaneous manifestations. *Int J Dermatol* Jan;40(1):59-62, 2001.
- 57) **Caproni M**, Cardinali C, Fabbri P. Indici di attività di malattia nella dermatite atopica. *Eczema Notizie*, N3, giugno 2000.
- 56) Pestelli E, **Caproni M**. Molecole di Adesione. *Dermatologia e Cosmesi La Pelle* 23-24, 2000.
- 55) Cardinali C, **Caproni M**, Bernacchi E, Amato L, Fabbri P. The spectrum of cutaneous manifestations in lupus erythematosus-the Italian experience. *Lupus* 9(6):417-23, 2000.
- 54) Mei S, Amato L, Gallerani I, Perrella E, **Caproni M**, Palleschi GM, Fabbri P. A case of vesiculo-bullous Darier's disease associated with bipolar psychiatric disorder. *J Dermatol* Oct;27(10):673-6, 2000.
- 53) Cardinali C, Giomi B, **Caproni M**, Fabbri P. Maculopapular lupus rash in a young woman with systemic involvement. *Lupus* 9(9):713-6, 2000.
- 52) **Caproni M**, Fabbri P. CD30 levels marker for Atopic Dermatitis. *Dermatology Times* October vol 21 (10):19, 2000.
- 51) **Caproni M**, Salvatore E, Cardinali C, Brazzini B, Fabbri P. Soluble CD30 and Cyclosporine in Severe Atopic Dermatitis. *International Archives of Allergy and Immunology* 121:324-28, 2000.
- 50) Cardinali C, Giomi B, Brazzini B, **Caproni M**. Une forme cutanée rare de lupus érythémateux systémique. *Medical staff* 50: 16-19, 2000.
- 49) Parodi A, **Caproni M**, Cardinali C, Bernacchi E, Fuligni A, Fabbri P. Clinical, Histological and Immunopathological features of 58 patients with subacute cutaneous lupus erythematosus. A review by the Italian group of Immunodermatology. *Dermatology* 200; 6-10, 2000.
- 48) Cardinali C, Gerlini G, **Caproni M**, Pimpinelli N, Fabbri P. Hepatitis C virus: a common triggering factor for both nodular vasculitis and Sjögren's syndrome. *Br J Dermatol* 142; 187-188, 2000.
- 47) Cardinali C, **Caproni M**, Fabbri P. The utility of the lupus band test on sun-protected non-lesional skin for the diagnosis of systemic lupus erythematosus. *Clinical and Experimental Rheumatology* 17:427-32, 1999

- 46) Salvatore E, **Caproni M**, Pestelli E, Fabbri P. Dermatomiosite Amiopatica: descrizione di tre casi. *Giornale Italiano di Dermatologia e Venereologia* 134 (s2):68-69, 1999.
- 45) Fabbri P, **Caproni M**, Brazzini B. Le nuove varietà cliniche di pemfigo. *Giornale Italiano di Dermatologia e Venereologia* 134: 321-9, 1999.
- 44) Pestelli E, Battini ML, **Caproni M**, Fabbri P. Pioderma gangrenoso, descrizione di un caso associato a rettocolite ulcerosa in un adolescente. *Giornale Italiano di Dermatologia e Venereologia* 134: 485-8, 1999
- 43) Cardinali C, Brazzini B, **Caproni M**, Giomi B, Fabbri P. Un caso di fascite eosinofila associato a morfea. *Dermatologia Clinica* 4:173-75, 1999.
- 42) Cardinali C, **Caproni M**, Fabbri P. The composition of the lupus band test (LBT) on the sun-protected non-lesional (SPNL) skin in patients with cutaneous lupus erythematosus (CLE). *Lupus* 8:755-60, 1999.
- 41) Bernacchi E, Civita LL, **Caproni M**, Zignego AL, Bianchi B, Monti M, Fabbri P, Pasero G, Ferri C. Hepatitis C virus (HCV) in cryoglobulinaemic leukocytoclastic vasculitis (LCV): could the presence of HCV in skin lesions be related to T CD8+ lymphocytes, HLA-DR and ICAM-1 expression ? *Experimental Dermatology* 8:480-86, 1999
- 40) Fabbri P, Fuligni A, Amato LE, **Caproni M**. Il pemfigoide cicatriziale. Recenti acquisizioni cliniche, istopatologiche, immunologiche, patogenetiche. *G Ital Dermatol Venereol* 134:207-17, 1999.
- 39) **Caproni M**, Rolfo S, Bernacchi E, Bianchi B, Brazzini B, Fabbri P. The role of lymphocytes, granulocytes, mast cells and their related cytokines in lesional skin of linear IgA bullous dermatosis. *British J Dermatol* 140:1072-78, 1999.
- 38) Fuligni A, Atani L, **Caproni M**, Salvatore E, Fabbri P. Una proposta per pianificare la terapia del pemfigoide cicatriziale. *G Ital Dermatol Venereol* 113; suppl 2-5, 1998.
- 37) **M. Caproni**, C. Feliciani, A. Fuligni, L. Atani, E. Salvatore, P. Amerio, P. Fabbri. Th2-like cytokine activity in dermatitis herpetiformis. *Br J Dermatol* 138,242-247,1998.
- 36) Fabbri P, **Caproni M**, Cardinali C, Brazzini B. Gluten-sensitive enteropathy seen from a dermatological point of view. An update on dermatitis herpetiformis. *International Journal of Medicine Biologie Environnement* 26(2):149-157, 1998.
- 35) **Caproni M**, Salvatore E, Bernacchi E, Fabbri P. Amyopathic dermatomyositis: report of three cases. *Br. J Dermatol* 139:1111-37, 1998.
- 34) **Caproni M**, Chiarugi A, Bernacchi E, Fabbri P. Severe cutaneous ulcerations in a black woman with systemic lupus erythematosus. *Clinical and Experimental Rheumatology*16 (4): 508-9, 1998.
- 33) **Caproni M**, Rolfo S, Fabbri P. La dermatite ad IgA lineari, Nuove acquisizioni immunologiche. *G Ital Dermatol Venereol* 133:13-21, 1998.
- 32) **M. Caproni**, B. Bianchi, L.E. Amato, P. Fabbri. Th2-like and fibrogenic cytokines expression in cicatricial pemphigoid. *Int J Immunopathol Pharmacol* 10, 99-102,1997.

- 31) **M. Caproni**, B. Bianchi, M. D'Elisos, M. Carli, A. Amedei, P. Fabbri. In vivo relevance of CD30 in atopic dermatitis. *ALLERGY*. 52, 1063-70, 1997.
- 30) Tarocchi S, Carli P, **Caproni M**, Fabbri P. Polymorphic eruption of pregnancy. *International Journal of Dermatology* 36:445-452, 1997.
- 29) Garofalo AM, Salvatore E, **Caproni M**. Lichen plano-pilaris on scar of lichen planus. *Medical Staff, Euro Rencontres avec l'Hopital, Dermatologie* 40: 16-18, 1997.
- 28) Velluzzi M, **Caproni M**, Fabbri P. La Rokitamycin, macrolide a 16 atomi, nel trattamento dell'acne volgare. *Dermatologia Clinica* 3:131-38, 1997.
- 27) **Caproni M**, Salvatore E, Battini ML, Fabbri P. Dermatite ad IgA lineari in una bambina con progressa malaria endemica, amebiasi ed epatite A. *G Ital Dermatol Venereol* 131:247-51, 1996.
- 26) Palleschi GM, Giacomelli A, Falcos D, **Caproni M**. Kaposi's varicelliform eruption in pemphigus foliaceus. *Int J Dermatol* 35(11):809-10, 1996.
- 25) Fuligni A, Atani L, **Caproni M**, Bianchi B, Fabbri P. Molecole di adesione cheratinocitarie ed endoteliali nel pemfigo volgare cronico e nel pemfigo eritematoso. *G Ital Dermatol Venereol* 131:203-9, 1996.
- 24) Salvatore E, **Caproni M**, Garofalo AM, D'Agata A, Cappelli G, Fabbri P. Studio dell'attività funzionale dei granulociti eosinofili, dei granulociti neutrofili e dei mastociti nella dermatite erpetiforme. *Annali Italiani di Dermatologia Clinica e Sperimentale* 50:116-21, 1996.
- 23) Fabbri P, **Caproni M**, Salvatore E, Cardinali C. La ciclosporina in alcune dermatosi Immunomediate. *Atti XXXV Congresso Nazionale Associazione Dermatologi Ospedalieri Italiani, Fiuggi - Ciociaria 18-21 Settembre* pg. 288-299, 1996
- 22) Salvatore E, **Caproni M**, Fabbri P. Un cas de syringome limité a la verge (a case of syringoma limited to the penis). *Dermatologie Medical Staff* 35:6-8, 1996.
- 21) Salvatore E, **Caproni M**, Battini ML, Fabbri P. Benign cephalic histiocytosis. *European Journal of Pediatric Dermatology* 5:147-52, 1996.
- 20) Palleschi GM, **Caproni M**, Falcos D, Giacomelli A, Fabbri P. Hypereosinophilic syndrome as prodrome of bullous pemphigoid: report of a case. *JEADV* 6:255-59, 1996.
- 19) **Caproni M**, D'Agata A, Cappelli G, Fabbri P. Modulation of serum eosinophil cationic protein levels by cyclosporin in severe atopic dermatitis. *British Journal of Dermatology* 135:330-45, 1996.
- 18) **Caproni M**, Fabbri P. I granulociti eosinofili (GE) nella dermatite erpetiforme (DE). *G Ital Dermatol Venereol* 131(suppl.1 al N.1) 20-1, 1996.
- 17) Garofalo AM, **Caproni M**, Fabbri P. La proteina eosinofila cationica nella dermatite erpetiforme. *G Ital Dermatol Venereol* 131:139-144, 1996.
- 16) **Caproni M**, Fabbri P. I granulociti eosinofili e le dermatosi eosinofile. *G Ital Dermatol Venereol* 130:375-92, 1995.

- 15) **Caproni M**, Fuligni A, Atani L, Fabbri P. Le Molecole di Adesione Endoteliali nel Pemfigoide Bolloso. *Ann Ital Dermatol Clin Sper* 49:127-133, 1995.
- 14) **Caproni M**. La proteina eosinofila cationica (ECP) è un indice di attività di malattia nella dermatite atopica (DA). In: Seminario sui "Marcatori Biochimici di Infiammazione", Auditorium Pharmacia, Milano, 16 maggio 1995.
- 13) Fabbri P, **Caproni M**, Atani L, Salvatore E. Pemfigoide bolloso polimorfo atipico: varietà dermatite erpetiforme-like. *Dermatologia Clinica* 3-4:171-174, 1995.
- 12) **Caproni M**, Palleschi GM, Papi C, Fabbri P. Discoid lupus erythematosus lesions developed on lupus erythematosus profundus nodules. *Intern J Dermatol* 34:1-3, 1995.
- 11) **Caproni M**, Palleschi GM, Falcos D, Papi C, Lotti T. Pharmacological Modulation by Cetirizine of some adhesion molecule expression in psoriatic skin lesions. *Intern J Dermatol* 34:1-4, 1995.
- 10) **Caproni M**, Palleschi GM, Falcos D, D'Agata A, Cappelli G, Fabbri P. Serum Eosinophil Cationic Protein (ECP) in Bullous Pemphigoid. *Intern J Dermatol* 34:177-180, 1995.
- 9) **Caproni M**, Tarocchi S, Urso C, Asirelli G, Wolovsky M, Fabbri P. Eruzione polimorfa della gravidanza o dermatite con papule e placche urticate e pruriginose della gravidanza (PUPPP). *G Ital Dermatol Venereol* 129(suppl 1):32-33, 1994.
- 8) Palleschi GM, Gentili A, **Caproni M**, Giacomelli A, Falcos D, Fabbri P. Structural Alterations of Basal Keratinocytes and Capillary Loop in Psoriasis During Treatment with Topical Calcipotriol. *Acta Derm Venereol (Stockh) Suppl* 186:49-51, 1994.
- 7) Zuccati G, Palleschi GM, Mastrolorenzo A, Tiradritti L, **Caproni M**, Rapaccini AL, Pacini P. Effects of human lymphoblastoid alpha-interferon on condylomata acuminata: an electron microscopy study. *Current Medical Literature, Virology* 112-119, 1993
- 6) **Caproni M**, Palleschi GM, Falcos D, D'Agata A, Cappelli G, Fabbri P. La Proteina Eosinofila Cationica (ECP) sierica è un indice di attività di malattia nella dermatite atopica. *G Ital Dermatol Venereol* 128:269-74, 1993.
- 5) Gentili A, **Caproni M**, Martini M, Palleschi GM. Psoriasi e psiche: a proposito di un caso in una coppia di gemelli omozigoti. *Dermatologia Clinica* XII (3),146-148, 1992.
- 4) Bernacchi E, Palleschi GM, **Caproni M**, Fabbri P. Un caso di lupus eritematoso con un singolare profilo immunologico. *Dermatologia Clinica* XII(3),14-15, 1992.
- 3) Giacomelli A, **Caproni M**, Palleschi GM. Lupus Vulgaris Disseminato. *Dermatologia Clinica* XII(3),112-114, 1992.
- 2) Benci M, Comacchi C, **Caproni M**, Lotti T. Nevoxanthoendothelioma (Xantogranuloma). *Skin Cancer* 6:145-148, 1991.
- 1) Teofoli P, Benci M, Lorusso B, Campanile G, **Caproni M**, Palleschi GM, Lotti T. Atrophoderma (Pasini-Pierini) and tendinous fibrosis in a child. *Ital Gen Rev Dermatol*

28:159-164,1991.